



NW	A	B	C	D	E	<i>Welding nipple BSP</i> <i>Lasnippel BSP</i>
6					R 1/8"	
8					R 1/4"	
10					R 3/8"	
15					R 1/2"	
20					R 3/4"	
25	For exact measurements please contact us !				R 1"	
32					R 1 1/4"	
40					R 1 1/2"	
50					R 2"	
65					R 2 1/2"	
80					R 3"	
100					R 4"	


NW	A	B	C	D	E	<i>Equal socket BSP</i> <i>Sok BSP</i>
6					R 1/8"	
8					R 1/4"	
10					R 3/8"	
15					R 1/2"	
20					R 3/4"	
25	For exact measurements please contact us !				R 1"	
32					R 1 1/4"	
40					R 1 1/2"	
50					R 2"	
65					R 2 1/2"	
80					R 3"	
					R 4"	


NW	A	B	C	D	E	<i>Welding socket BSP</i> <i>Halve sok BSP</i>
6					R 1/8"	
8					R 1/4"	
10					R 3/8"	
15					R 1/2"	
20					R 3/4"	
25	For exact measurements please contact us !				R 1"	
32					R 1 1/4"	
40					R 1 1/2"	
50					R 2"	
65					R 2 1/2"	
80					R 3"	
100					R 4"	


NW	A	B	C	D	E	<i>Barrel nipple BSP</i> <i>Pijpnippel BSP</i>
6					R 1/8"	
8					R 1/4"	
10					R 3/8"	
15					R 1/2"	
20					R 3/4"	
25	For exact measurements please contact us !				R 1"	
32					R 1 1/4"	
40					R 1 1/2"	
50					R 2"	
65					R 2 1/2"	
80					R 3"	
100					R 4"	


<i>Elbow90 BSP</i> <i>Knie90 BSP</i>	NW	A	B	C	D	E	
	6					R 1/8"	
	8					R 1/4"	
	10					R 3/8"	
	15					R 1/2"	
	20					R 3/4"	
	25	For exact measurements please contact us !					R 1"
	32					R 1 1/4"	
	40					R 1 1/2"	
	50					R 2"	
	65					R 2 1/2"	
	80					R 3"	
	100					R 4"	


<i>T-piece BSP</i> <i>T-stuk BSP</i>	NW	A	B	C	D	E	
	6					R 1/8"	
	8					R 1/4"	
	10					R 3/8"	
	15					R 1/2"	
	20					R 3/4"	
	25	For exact measurements please contact us !					R 1"
	32					R 1 1/4"	
	40					R 1 1/2"	
	50					R 2"	
	65					R 2 1/2"	
	80					R 3"	
	100					R 4"	


<i>Hexagon plug taper thread BSP</i> <i>6kt. plug BSP</i>	NW	A	B	C	D	E	
	6					R 1/8"	
	8					R 1/4"	
	10					R 3/8"	
	15					R 1/2"	
	20					R 3/4"	
	25	For exact measurements please contact us !					R 1"
	32					R 1 1/4"	
	40					R 1 1/2"	
	50					R 2"	
	65					R 2 1/2"	
	80					R 3"	
	100					R 4"	


<i>Hexagon cap BSP</i> <i>6kt. kap BSP</i>	NW	A	B	C	D	E	
	6					R 1/8"	
	8					R 1/4"	
	10					R 3/8"	
	15					R 1/2"	
	20					R 3/4"	
	25	For exact measurements please contact us !					R 1"
	32					R 1 1/4"	
	40					R 1 1/2"	
	50					R 2"	
	65					R 2 1/2"	
	80					R 3"	
	100					R 4"	


NW	A	B	C	D	E	Hexagon lock nut BSP 6kt. moer BSP
6					R 1/8"	
8					R 1/4"	
10					R 3/8"	
15					R 1/2"	
20					R 3/4"	
25	For exact measurements please contact us !				R 1"	
32					R 1 1/4"	
40					R 1 1/2"	
50					R 2"	
65					R 2 1/2"	
80					R 3"	
100					R 4"	


NW	A	B	C	D	E	Hexagon nipple Dubbele 6kt. Nippel
6					R 1/8"	
8					R 1/4"	
10					R 3/8"	
15					R 1/2"	
20					R 3/4"	
25	For exact measurements please contact us !				R 1"	
32					R 1 1/4"	
40					R 1 1/2"	
50					R 2"	
65					R 2 1/2"	
80					R 3"	
100					R 4"	


NW	A	B	C	D	E	Union female/female BSP Kon. koppeling binnen draad BSP
6						
8						
10						
15						
20						
25	For exact measurements please contact us !					
32						
40						
50						
65						
80						
100						

NW	A	B	C	D	E	Union female/male BSP Kon. koppeling bi/bui draad BSP
6						
8						
10						
15						
20						
25	For exact measurements please contact us !					
32						
40						
50						
65						
80						
100						

<i>Loose flange 2642 PN10 Type A</i> <i>Overschuifflens 2642 PN10 Type A</i>	NW	A	B	C	D	E
	15	14	14	22	65	95
	20	14	14	28	75	105
	25	16	14	33	85	115
	32	16	18	42	100	140
	40	16	18	50	110	150
	50	16	18	59	125	165
	65	16	18	75	145	185
	80	18	18	89	160	200
	100	18	18	109	180	220
	125	18	18	134	210	250
	150	18	22	159	240	285


<i>Loose flange EN1092-1 type 02C</i> <i>Overschuifflens EN1092-1 type 02C</i>	NW	A	B	C	D	E
	10	14	14	21	60	90
	15	14	14	25	65	95
	20	14	14	31	75	105
	25	16	14	38	85	115
	32	16	18	47	100	140
	40	16	18	53	110	150
	50	16	18	65	125	165
	65	16	18	81	145	185
	80	18	18	94	160	200
	100	18	18	120	180	220
	125	18	18	145	210	250
	150	18	22	174	240	285

<i>Flat flange EN1092-1 type 02</i> <i>Vlakke las flens EN1092-1 type 02</i>	NW	A	B	C	D	E
	10	14	14	18	60	PN 40 90
	15	14	14	22	65	PN 40 95
	20	16	14	27,5	75	PN 40 105
	25	16	14	35	85	PN 40 115
	32	18	18	34,5	100	PN 40 140
	40	18	18	49,5	110	PN 40 150
	50	19	18	50,9	125	PN 16 165
	65	20	18	77,5	145	PN 16 185
	80	20	18	90,5	160	PN 16 200
	100	22	18	116	180	PN 16 220

<i>Blind flange EN1092-1 type 05A</i> <i>Blindflens EN1092-1 type 05A</i>	NW	A	B	C	D	E
	10	16	14		60	PN 40 90
	15	16	14		65	PN 40 95
	20	18	14		75	PN 40 105
	25	18	14		85	PN 40 115
	32	18	18		100	PN 40 140
	40	18	18		110	PN 40 150
	50	18	18		125	PN 16 165
	65	18	18		145	PN 16 185
	80	20	18		160	PN 16 200
	100	20	18		180	PN 16 220

NW	A	B	C	D	E
10	35	17,2	13,6	60	PN 40
15	38	21,3	17,3	65	PN 40
20	40	26,9	22,3	75	PN 40
25	40	33,7	28,5	85	PN 40
32	42	42,4	37,2	100	PN 40
40	45	48,3	43,1	110	PN 40
50	45	60,3	54,5	125	PN 16
65	45	76,1	70,3	145	PN 16
80	50	88,9	82,5	160	PN 16
100	52	114,3	107,1	180	PN 16

Welding neck flange EN1092-1 type 11
Voorlas flens EN1092-1 type 11



NW	A	B	C	D	E
10	3	45	19	available in:	multiblauw
15	2	50	22		epdm
20	2	60	28		silicone
25	2	70	35		grafiet
32	2	82	43		
40	2	92	49		
50	2	107	61		
65	2	127	77		
80	2	142	91		
100	2	162	115		
125	2	192	141		
150	2	218	173		

Gasket for flange PN16/40
Flensdichting PN16/40

